Institution Name: Sanford Medical Center Radiologic Technology Program
Program Type: Radiography
Degree Type: Certificate

Program Effectiveness Data

The following is the most current program effectiveness data. Our programmatic accreditation agency, the Joint Review Committee on Education in Radiologic Technology (JRCERT), defines and publishes this information. Click here to go directly to the JRCERT webpage.

Credentialing Examination: The number of students who pass, on the first attempt, the American Registry of Radiologic Technologists (ARRT) certification examination, or an unrestricted state licensing examination, compared with the number of graduates who take the examination within six months of graduation. The five-year average benchmark established by the JRCERT is 75%.

Credentialing Examination Rate	number passed on 1st attempt divided by number attempted within 6 months of graduation
Year	**Results**
Year 1 - 2023	14 **of** 14 - 100%
Year 2 - 2022	13 **of** 14 - 93%
Year 3 - 2021	13 **of** 13 - 100%
Year 4 - 2020	11 **of** 11 - 100%
Year 5 - 2019	12 **of** 12 - 100%
Program 5-Year Average	63 **of** 64 - 98.4%

Job Placement: The number of graduates employed in the radiologic sciences compared to the number of graduates actively seeking employment in the radiologic sciences within twelve months of graduating. The five-year average benchmark established by the JRCERT is 75%.

Job Placement Rate	number employed divided by number actively seeking employment within 12 months of graduation
Year	**Results**
Year 1 - 2023	13 **of** 13 - 100%
Year 2 - 2022	14 **of** 14 - 100%
Year 3 - 2021	11 **of** 11 - 100%
Year 4 - 2020	10 **of** 10 - 100%
Year 5 - 2019	12 **of** 12 - 100%
Program 5-Year Average	60 **of** 60 - 100.0%

Program Completion: The number of students who complete the program within the stated program length. The annual benchmark established by the program is .

Program Completion Rate	number graduated divided by number started the program
Year	**Results**
Year - 2023	14 **of** 14
Annual Completion Rate	100.0%