

LCD - Vitamin D Assay Testing (L34051)

Links in PDF documents are not guaranteed to work. To follow a web link, please use the MCD Website.

Contractor Information

CONTRACTOR NAME	CONTRACT TYPE	CONTRACT NUMBER	JURISDICTION	STATES
Noridian Healthcare Solutions, LLC	A and B MAC	02101 - MAC A	J - F	Alaska
Noridian Healthcare Solutions, LLC	A and B MAC	02102 - MAC B	J - F	Alaska
Noridian Healthcare Solutions, LLC	A and B MAC	02201 - MAC A	J - F	Idaho
Noridian Healthcare Solutions, LLC	A and B MAC	02202 - MAC B	J - F	Idaho
Noridian Healthcare Solutions, LLC	A and B MAC	02301 - MAC A	J - F	Oregon
Noridian Healthcare Solutions, LLC	A and B MAC	02302 - MAC B	J - F	Oregon
Noridian Healthcare Solutions, LLC	A and B MAC	02401 - MAC A	J - F	Washington
Noridian Healthcare Solutions, LLC	A and B MAC	02402 - MAC B	J - F	Washington
Noridian Healthcare Solutions, LLC	A and B MAC	03101 - MAC A	J - F	Arizona
Noridian Healthcare Solutions, LLC	A and B MAC	03102 - MAC B	J - F	Arizona
Noridian Healthcare Solutions, LLC	A and B MAC	03201 - MAC A	J - F	Montana
Noridian Healthcare Solutions, LLC	A and B MAC	03202 - MAC B	J - F	Montana
Noridian Healthcare Solutions, LLC	A and B MAC	03301 - MAC A	J - F	North Dakota
Noridian Healthcare Solutions, LLC	A and B MAC	03302 - MAC B	J - F	North Dakota
Noridian Healthcare Solutions, LLC	A and B MAC	03401 - MAC A	J - F	South Dakota
Noridian Healthcare Solutions, LLC	A and B MAC	03402 - MAC B	J - F	South Dakota
Noridian Healthcare Solutions, LLC	A and B MAC	03501 - MAC A	J - F	Utah
Noridian Healthcare Solutions, LLC	A and B MAC	03502 - MAC B	J - F	Utah
Noridian Healthcare Solutions, LLC	A and B MAC	03601 - MAC A	J - F	Wyoming
Noridian Healthcare Solutions, LLC	A and B MAC	03602 - MAC B	J - F	Wyoming

LCD Information

Document Information

LCD ID

L34051

LCD Title

Vitamin D Assay Testing

AMA CPT / ADA CDT / AHA NUBC Copyright Statement

CPT codes, descriptions and other data only are copyright 2022 American Medical Association. All Rights Reserved. Applicable FARS/HHSARS apply.

Proposed LCD in Comment Period

N/A

Source Proposed LCD

[DL34051](#)

Original Effective Date

For services performed on or after 10/01/2015

Revision Effective Date

For services performed on or after 12/01/2019

Revision Ending Date

N/A

Retirement Date

N/A

Notice Period Start Date

12/19/2016

Notice Period End Date

02/02/2017

Issue

Issue Description

Editorial update only.

CMS National Coverage Policy

Title XVIII of the Social Security Act, Section 1862(a)(1)(A) states that no Medicare payment shall be made for items or services which are not reasonable and necessary for the diagnosis or treatment of illness or injury.

Title XVIII of the Social Security Act, Section 1862(a)(7). This section excludes routine physical examinations.

Title XVIII of the Social Security Act, Section 1833(e) states that no payment shall be made to any provider for any claim that lacks the necessary information to process the claim.

42CFR410.32(a) requires a clinical diagnostic test be ordered by the physician who is treating the patient for a specific medical problem and uses the results in the management of the beneficiary's specific problem.

MBPM Internet Only Manual(IOM 100-02), chap. 6, §20.4.3 applies 42CFR410.32 to hospitals.

Coverage Guidance

Coverage Indications, Limitations, and/or Medical Necessity

Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein.

Current Dental Terminology © 2022 American Dental Association. All rights reserved.

Copyright © 2022, the American Hospital Association, Chicago, Illinois. Reproduced with permission. No portion of the American Hospital Association (AHA) copyrighted materials contained within this publication may be copied without the express written consent of the AHA. AHA copyrighted materials including the UB04 codes and descriptions may not be removed, copied, or utilized within any software, product, service, solution or derivative work without the written consent of the AHA. If an entity wishes to utilize any AHA materials, please contact the AHA at 312-893-6816.

Making copies or utilizing the content of the UB04 Manual, including the codes and/or descriptions, for internal purposes, resale and/or to be used in any product or publication; creating any modified or derivative work of the UB04 Manual and/or codes and descriptions; and/or making any commercial use of UB04 Manual or any portion thereof, including the codes and/or descriptions, is only authorized with an express license from the American Hospital Association. The American Hospital Association (the "AHA") has not reviewed, and is not responsible for, the completeness or accuracy of any information contained in this material, nor was the AHA or any of its affiliates, involved in the preparation of this material, or the analysis of information provided in the material. The views and/or positions presented in the material do not necessarily represent the views of the AHA. CMS and its products and services are not endorsed by the AHA or any of its affiliates.

Vitamin D is called a "vitamin" because of its exogenous source, predominately from oily fish in the form of vitamin D₂ and vitamin D₃. It is more accurate to consider fat-soluble Vitamin D as a steroid hormone, synthesized by the skin and metabolized by the kidney to an active hormone, calcitriol. Clinical disorders related to vitamin D may arise because of altered availability of the parent vitamin D, altered conversion of vitamin D to its predominant metabolites, altered organ responsiveness to dihydroxylated metabolites and disturbances in the interactions of the vitamin D metabolites with PTH and calcitonin. Normal levels of Vitamin D range from 20 – 50 ng/ml. This LCD identifies the indications and limitations of Medicare coverage and reimbursement for the lab assay.

Indications:

Measurement of 25-OH Vitamin D level is indicated for patients with:

- chronic kidney disease stage III or greater
- cirrhosis
- hypocalcemia
- hypercalcemia
- hypercalciuria
- hypervitaminosis D
- parathyroid disorders
- malabsorption states
- obstructive jaundice
- osteomalacia
 - osteoporosis if
 - i. T score on DEXA scan <-2.5 or
 - ii. History of fragility fractures or
 - iii. FRAX > 3% 10-year probability of hip fracture or 20% 10-year probability of other major osteoporotic fracture or
 - iv. FRAX > 3% (any fracture) with T-score <-1.5 or
 - v. Initiating bisphosphonate therapy (Vitamin D level should be determined and managed as necessary

before bisphosphonate is initiated)

- osteosclerosis/petrosis
- rickets
- vitamin D deficiency on replacement therapy related to a condition listed above; to monitor the efficacy of treatment.

Measurement of 1, 25-OH Vitamin D level is indicated for patients with:

- unexplained hypercalcemia (suspected granulomatous disease or lymphoma)
 - unexplained hypercalciuria (suspected granulomatous disease or lymphoma)
 - suspected genetic childhood rickets
 - suspected tumor-induced osteomalacia
-
- nephrolithiasis or hypercalciuria

Limitations:

Testing may not be used for routine or other screening.

Both assays of vitamin D need not be performed for each of the above conditions. Often, one type is more appropriate for a certain disease state than another. The most common type of vitamin D deficiency is 25-OH vitamin D. A much smaller percentage of 1, 25-dihydroxy vitamin D deficiency exists; mostly, in those with renal disease. Although it is not the active form of the hormone, 25-OH vitamin D is much more commonly measured because it better reflects the sum total of vitamin D produced endogenously and absorbed from the diet than does the level of the active hormone 1, 25-dihydroxy vitamin D. Deficiency of 1, 25-dihydroxy vitamin D, which is present at much lower concentrations, does not necessarily reflect deficiency of 25-OH vitamin D and its measurement should be limited to the indications listed. Documentation must justify the test(s) chosen for a particular disease entity. Various component sources of 25-OH vitamin D, such as stored D or diet-derived D, should not be billed separately.

Once a beneficiary has been shown to be vitamin D deficient, further testing may be medically necessary only to ensure adequate replacement has been accomplished. If Vitamin D level is between 20 and 50 ng/ml and patient is clinically stable, repeat testing is often unnecessary; if performed, documentation most clearly indicate the necessity of the test. If level <20 ng/ml or > 60 ng/ml, a subsequent level(s) may be reimbursed until the level is within the normal range.

Summary of Evidence

N/A

Analysis of Evidence (Rationale for Determination)

N/A

General Information

Associated Information

Documentation must clearly indicate the necessity for the test(s), any and all repeat testing and frequency of testing.

The medical record must be made available to Medicare upon request.

Sources of Information

1. IOM (Institute of Medicine). *Dietary Reference Intake for Calcium and Vitamin D*. 2011. Washington D.C.: the National Academies Press
2. American Medical Association (AMA). Council on Science and Public Health "Appropriate Supplementation of Vitamin D," CSAPH Report 4-A-09.
3. Autier P, Gandini S. Vitamin D Supplementation and Total Mortality. A Meta-analysis of Randomized Controlled Trials. *Arch Intern Med*. 2007;167(16);1730-1737.
4. Bischoff-Ferrari HA, Dawson-Hughes B, Willett W, et al. Effect of vitamin D on falls a meta-analysis. *JAMA* April 2004;291:16:1999-2006. www.jama.com. Accessed 03/04/2009.
5. Bischoff-Ferrari HA, Dietrich T, Orav EJ, Dawson-Hughes B. Positive association between 25-Hydroxy vitamin D levels and bone mineral density: a population-based study of younger and older adults. *The American Journal of Medicine*. 2004;116:634-639.
6. Bischoff-Ferrari HA, Willett W, Wong J, Giovannucci E, Dietrich T, Dawson-Hughes B. Fracture prevention with vitamin D supplementation, a meta-analysis of randomized controlled trials. *JAMA*. May 2005;293:18:2257-2264. www.jama.com. Accessed 03/04/2009.
7. Bodnar LM, Simhan HN, Powers RW, Frank MP, Cooperstein E, Roberts JM. High prevalence of vitamin D insufficiency in black and white pregnant women residing in the northern United States and their neonates. *J Nutr*. 2007;137:447-452. <http://jn.nutrition.org>. Accessed 02/10/2009.
8. Cannell JJ. Autism and Vitamin D. *Med Hypotheses*. 2008;70:4:750-759. <http://www.ncbi.nlm.nih.gov/pubmed/17920208>. Accessed 02/10/2009.
9. Cannell JJ, Hollis BW, Zasloff M, Heaney RP. Diagnosis and treatment of vitamin D deficiency. *Expert Opin Pharmacother*. 2008;9:1-12.
10. Chapuy M, Arlot M, Duboeuf F, et al. vitamin D3 and calcium to prevent hip fractures in elderly women. *The New England Journal of Medicine*. December 1992;327:23:1637-1641.
11. Chronic Kidney Disease 2006: A Guide to Select NKF-KDOQI Guidelines and Recommendations.
12. Woolcott CG, Wilkens LR, Nomura AM et al. Plasma 25-hydroxyvitamin D levels and the risk of colorectal cancer: the multiethnic cohort study. *Cancer Epidemiol Biomarkers Prev* 2010; 19(1):130-134.
13. *Vitamin D and Calcium Systematic Review of Health Outcomes*. Structured Abstract. Agency for Healthcare Research and Quality. Rockville, MD. <http://www.ahrq.gov/clinic/tp/vitadcaltp.htm>
14. MacLean C, Alexander A, Carter J et al. *Comparative Effectiveness of Treatments to Prevent Fractures in Men and Women with Low Bone Density or Osteoporosis Executive Summary*. No.12 (Prepared by Southern California/RAND Evidence-based Practice Center under Contract with the Agency for Healthcare Research and Quality. December 2007.

15. *Vitamin D Evidence-based Monograph*. The Natural Standard Research Collaboration. (Last updated June 1, 2010.) <http://naturalstandard.com>; and <http://www.mayoclinic.com/health/vitamin-d>
16. Bjelakovic, Goran, Gluud et al. *Vitamin D* supplementation for prevention of mortality in adults. (Protocol) Cochrane Database of Systematic Reviews 2008, Issue 4. Art. No.: CD007470. DOI:10.1002/14651858.CD007470. [Last review 2010; no changes to last published edit 03 May 2009.]
17. Giovannucci E, Liu Y, Hollis BW, Rimm EB. 25-Hydroxyvitamin D and Risk of Myocardial Infarction in Men; A Prospective Study. *Arch Intern Med*.2008;168(11):1174-1180.
18. Wagner CL, Greer FR, and the Section on Breastfeeding and Committee on Nutrition. Prevention of Rickets and Vitamin D Deficiency in Infants, Children, and Adolescents. [published correction appears in *Pediatrics* 2009;123;197.]. *Pediatrics* 2008;122;1142-1152.
19. Lafferty, FW. Differential diagnosis of hypercalcemia. *J Bone Miner Res* 1991; 6 Suppl 2:S51.
20. Silverberg S, Bilezikian. Primary Hyperparathyroidism. In: Primer on Metabolic Bone Diseases and Disorders of Mineral Metabolism. 7th ed., 2008:7:302-306.
21. Horwitz M, Hodak S, Stewart A. Non-Parathyroid Hypercalcemia. In: Primer on Metabolic Bone Diseases and Disorders of Mineral Metabolism. 7th ed., 2008:7:307-312.
22. *Am. J. Med.* 107(6):561-567(1999), "The effects of vitamin D insufficiency in patients with primary hyperparathyroidism", Silverberg, S.J., et.al.
23. Schilling, T, Pecherstorfer, M, Blind, E, et al. Parathyroid hormone-related protein (PTH-rP) does not regulate serum 1,25-dihydroxyvitamin D levels in hypercalcemia of malignancy. *J Clin Endocrinol Metab* 1993; 76:801.
24. Jacobus, CH, Holick, MF, Shao, Q, et al. Hypervitaminosis D associated with drinking milk. *N Engl J Med* 1992; 326:1173.
25. Goltzman, D, Cole, DEC. Hypoparathyroidism. In Primer on the Metabolic Bone Diseases and Disorders of Bone Metabolism, American Society of Bone and Mineral Research 2006; 6:216.
26. Bernstein, CN, Leslie, WD, Leboff, MS. AGA technical review on osteoporosis in gastrointestinal diseases. *Gastroenterology* 2003; 124:795.
27. Johnson, JM, Maher, JW, Demaria, EJ, et al. The Long-term Effects of Gastric Bypass on Vitamin D Metabolism. *Ann Surg* 2006; 243:701.
28. American Gastroenterological Association medical position statement: guidelines on osteoporosis in gastrointestinal diseases. *Gastroenterology* 2003; 124:791.
29. Hahn, TJ. Drug-induced disorders of vitamin D and mineral metabolism. *Clin Endocrinol Metab* 1980; 9:107.
30. Sotaniemi, EA, Hakkarainen, HK, Puranen, JA, Lahti, RO. Radiologic bone changes and hypocalcemia with anticonvulsant therapy in epilepsy. *Ann Intern Med* 1972; 77:389.
31. Välimäki, MJ, Tiihonen, M, Laitinen, K, et al. Bone mineral density measured by dual-energy X-ray absorptiometry and novel markers of bone formation and resorption in patients on antiepileptic drugs. *J Bone Miner Res* 1994; 9:631.

32. Compston, JE. Hepatic osteodystrophy: Vitamin D metabolism in patients with liver disease. *Gut* 1986; 27:1073.
33. Holick, MF. Vitamin D deficiency. *N Engl J Med* 2007; 357:266.
34. *Am. J. Kidney Dis.* 50(1):59-68(2007) "Changes in serum 25-hydroxyvitamin D and plasma intact PTH levels following treatment with ergocalciferol in patients with CKD", Al Aly, Z, et. al.
35. Bone, (2008), "Serum 25-hydroxyvitamin D as an independent determinant of 1-84 PTH and bone mineral density in non-diabetic predialysis CKD patients", Tomida, K., et. al.
36. Ceglia L. Vitamin D and skeletal muscle tissue and function. *Mol Aspects Med.* 2008 Dec;29(6):407-14. Epub 2008 Aug 8. Review.
37. Ward KA, Das G, Berry JL, Roberts SA, Rawer R, Adams JE, Mughal Z. Vitamin D status and muscle function in post-menarchal adolescent girls. *J Clin Endocrinol Metab.* 2009 Feb;94(2):559-63. Epub 2008 Nov 25.
38. Gordon PL, Sakkas GK, Doyle JW, Shubert T, Johansen KL. Relationship between vitamin D and muscle size and strength in patients on hemodialysis. *J Ren Nutr.* 2007 Nov;17(6):397-407. PubMed PMID: 17971312.
39. Hollick MF High Prevalence of Vitamin D Inadequacy and Implications for Health *Mayo Clin Proc.* 2006;81(3):353-373.
40. Buischoff-Ferrari, HA et al Estimation of optimal serum concentrations of 25-hydroxyvitamin D for multiple health outcomes *Am J Clin Nutr* (2006) 84:18.
41. Ybarra J, Sánchez-Hernández J, Pérez A. Hypovitaminosis D and morbid obesity. *Nurs Clin North Am.* 2007 Mar;42(1):19-27, v. Review.
42. Goldner WS, Stoner JA, Thompson J, Taylor K, Larson L, Erickson J, McBride C. Prevalence of vitamin D insufficiency and deficiency in morbidly obese patients: a comparison with non-obese controls. *Obes Surg.* 2008 Feb;18(2):145-50.
43. Sánchez-Hernández J, Ybarra J, Gich I, De Leiva A, Rius X, Rodríguez-Espinosa J, Pérez A. Effects of bariatric surgery on vitamin D status and secondary hyperparathyroidism: a prospective study. *Obes Surg.* 2005 Nov-Dec;15(10):1389-95.
44. Lee JH, O'Keefe JH, Bell D et al. Vitamin D deficiency. *JACC.* 2008; 52(24):1949-56.
45. Lapp JL. Vitamin D: bone health and beyond. *Am J Lifestyle Med.* 2009;3:386-93.
46. Binkley N, Krueger D, Gemar D, Drezner MK. Correlation among 25-hydroxy-vitamin D assays. *J Clin Endocrinol Metab.* 2008; 93:1804-1808
47. Bolland MJ, Bacon CJ, Horne AM et al. Vitamin D Insufficiency and Health. *Am J Clin Nutr* 2010; 91:82-89.
48. Other Contractor(s)' Policies.

Bibliography

N/A

Revision History Information

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION	REASONS FOR CHANGE
12/01/2019	R12	Under Coverage Guidelines/Indications, iv. added T-score "<-1.5 or." Initially published in earlier versions and inadvertently removed in prior versions.	<ul style="list-style-type: none"> • Typographical Error
12/01/2019	R11	<p>The following were made to the LCD due to typographical errors:</p> <ul style="list-style-type: none"> • changing references of ng/dl to ng/ml • adding "<-2.5 or" in the Coverage Indications, Limitations and/or Medical Necessity section under Indications. • adding "<20 ng/ml or >" in the Coverage Indications, Limitations and/or Medical Necessity section under Limitations, last sentence in the last paragraph. 	<ul style="list-style-type: none"> • Typographical Error
12/01/2019	R10	<p>The LCD is revised to remove CPT/HCPCS codes in the Keyword Section of the LCD.</p> <p>At this time 21st Century Cures Act will apply to new and revised LCDs that restrict coverage which requires comment and notice. This revision is not a restriction to the coverage determination; and, therefore not all the fields included on the LCD are applicable as noted in this policy.</p>	<ul style="list-style-type: none"> • Other (The LCD is revised to remove CPT/HCPCS codes in the Keyword Section of the LCD.)
12/01/2019	R9	<p>12/01/2019: At this time 21st Century Cures Act will apply to new and revised LCDs that restrict coverage which requires comment and notice. This revision is not a restriction to the coverage determination; and, therefore not all the fields included on the LCD are applicable as noted in this policy.</p> <p>As required by CR 10901, all billing and</p>	<ul style="list-style-type: none"> • Provider Education/Guidance • Revisions Due To Code Removal

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION	REASONS FOR CHANGE
		coding information has been moved to the companion article, this article is linked to the LCD.	
10/01/2018	R8	<p>At this time 21st Century Cures Act will apply to new and revised Articles that restrict coverage which requires comment and notice. This revision is not a restriction to the coverage determination; and, therefore not all the fields included on the Article are applicable as noted in this policy.</p> <p>08/09/2018 - For the following ICD-10 code descriptions were changed in the ICD-10 Codes that Support Medical Necessity field: Z68.43 descriptor was changed in Group 1 Effective 10/01/2018</p>	<ul style="list-style-type: none"> • Revisions Due To ICD-10-CM Code Changes
02/03/2017	R7	Added ICD-10 Codes A15.0, A15.4, A15.5, A15.6, A15.7, A15.8, Z79.3, Z79.4, Z79.51, Z79.52, Z79.810, Z79.811, Z79.818, Z79.82, Z79.83, Z79.84, Z79.890, Z79.891, Z79.899	<ul style="list-style-type: none"> • Creation of Uniform LCDs Within a MAC Jurisdiction
02/03/2017	R6	Addition of codes from 2016 ICD-10 Coding updates added to Final E89.820; E89.821; E89.822; E89.823	<ul style="list-style-type: none"> • Revisions Due To ICD-10-CM Code Changes
02/03/2017	R5	This LCD version was created as a result of DL34051 being released to a Final LCD.	<ul style="list-style-type: none"> • Creation of Uniform LCDs Within a MAC Jurisdiction
10/01/2016	R4	Typographical Error	<ul style="list-style-type: none"> • Typographical Error
10/01/2015	R3	The following ICD-10 Codes were added from the ICD-10 2016-2017 update: E89820, E89821, E89822, E89823, K9041, K9049. Code K90.4 was deleted.	<ul style="list-style-type: none"> • Revisions Due To ICD-10-CM Code Changes
10/01/2015	R2	The LCD is revised to add M85.80 and M85.88 to the ICD-10 Codes that Support Medical Necessity section; CPT 82306 only.	<ul style="list-style-type: none"> • Reconsideration Request
10/01/2015	R1	This LCD is revised to remove the paragraph, "When requesting an individual consideration through the written	<ul style="list-style-type: none"> • Other (Removed the paragraph, "When requesting an individual consideration through the written

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION	REASONS FOR CHANGE
		redetermination (formerly appeal) process, providers must include all relevant medical records and any pertinent peer-reviewed literature that supports the request. At a minimum two (2) Phase II studies (human studies of efficacy, pivotal) or one (1) Phase III study (evidence of safety and efficacy, pivotal) must be submitted for the Medical Director’s review.” from the Associated Information field.	redetermination (formerly appeal) process, providers must include all relevant medical records and any pertinent peer-reviewed literature that supports the request. At a minimum two (2) Phase II studies (human studies of efficacy, pivotal) or one (1) Phase III study (evidence of safety and efficacy, pivotal) must be submitted for the Medical Director’s review.”)

Associated Documents

Attachments

N/A

Related Local Coverage Documents

Articles

[A57719 - Billing and Coding: Vitamin D Assay Testing](#)

[A55373 - Response to Comments: Vitamin D Assay Testing](#)

LCDs

[DL34051 - \(MCD Archive Site\)](#)

Related National Coverage Documents

N/A

Public Versions

UPDATED ON	EFFECTIVE DATES	STATUS
04/01/2022	12/01/2019 - N/A	Currently in Effect (This Version)
10/22/2021	12/01/2019 - N/A	Superseded
01/29/2020	12/01/2019 - N/A	Superseded
11/08/2019	12/01/2019 - N/A	Superseded

Some older versions have been archived. Please visit the MCD Archive Site to retrieve them.

Keywords

N/A